



SHEET1

| Rev: | Date: | By | Chk | Description |
|------|----------|-----|-----|-------------|
| A.1 | 9/18/12 | PJE | RAW | EC0 0045 |
| A.2 | 10/06/12 | JWW | PJE | EC0 0192 |



| Type | A | B | C | D | F | G | H | L | M | P | Q | R | Weight (Kg) |
|---------------|---|----------------|---------------|------|----|----------|----------|----|---|------|----|-------|-------------|
| GFRA009030110 | 6 | M16 X 1,5 LH | 18g6 | 24,5 | 44 | 1/8" BSP | 3/8" NPT | 11 | 5 | 55,5 | 27 | 106,0 | 0,50 |
| GFRA009030111 | 6 | 5/8" 18 UNF LH | 16,650/16,645 | 24,5 | 44 | 1/8" BSP | 3/8" NPT | 14 | 5 | 55,5 | 30 | 121,6 | 0,50 |

| Type | A | B | C | D | F | G | H | L | M | N | P | Q | R | Weight (Kg) |
|---------------|---|----------------|---------------|------|----|----------|----------|----|---|------|------|------|-------|-------------|
| GFRA009030120 | 6 | M16 X 1,5 LH | 18g6 | 24,5 | 44 | 1/8" NPT | 3/8" NPT | 11 | 5 | 70,0 | 50,0 | 27,5 | 106,0 | 0,50 |
| GFRA009030121 | 6 | 5/8" 18 UNF LH | 16,650/16,645 | 24,5 | 44 | 1/8" NPT | 3/8" NPT | 14 | 5 | 70,0 | 50,0 | 30,0 | 121,6 | 0,50 |
| GFRA009030668 | 6 | M14 X 1,5 LH | 15g6 | 22,0 | 44 | 1/8" NPT | 3/8" NPT | 17 | 5 | 99,5 | 71,5 | 55,0 | 133,5 | 0,50 |
| GFRA009029898 | 6 | M12 X 1,25 LH | 14g4 | 24,5 | 44 | 1/8" NPT | 3/8" NPT | 11 | 5 | 70,0 | 50,0 | 27,5 | 106,0 | 0,50 |

技术参数:
 介质: 气 介质: MQL 介质: 冷却液
 最高转速: 10000RPM 最高转速: 10000RPM 最高转速: 10000RPM
 最高温度: 50° C 最高温度: 90° C 最高温度: 90° C
 最大压力: 8BAR 最大压力: 10BAR 最大压力: 80BAR

| | | |
|---------|-----|----------|
| Drawn | JSM | 6/2/03 |
| Checked | PJE | 13/43/05 |
| Checked | PJE | 11/36/08 |

TOLERANCE
 EXCEPT AS NOTED
 x.x ± 0.125
 x.xx ± 0.15
 x.xxx ± 0.005
 ANGLES ± 0.5°

HIDNEY

深圳市欣德利机电设备有限公司

TEL:0755-27222664

CUSTOMER:

STOCK

P/N:

REV:

A 4

CUSTOMER APPROVAL/DATE:

THIS DOCUMENT CONTAINS INFORMATION WHICH IS PROPRIETARY TO DYNAMIC SEALING TECHNOLOGIES, INC. (HIDNEY). NO REPRODUCTION OR PUBLICATION OF THIS DOCUMENT OR ITS CONTENTS, IN WHOLE OR PART SHALL BE MADE WITHOUT THE WRITTEN CONSENT FROM HIDNEY.

SHAFT MEL/PLTING:

CARBON STL
 94-62 RC
 BLK OXIDE

SHAFT MEL/PLTING:

CARBON STL
 BLK OXIDE

THIRD ANGLE PROJECTION:

